

Table 10.10
Unadjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	322	85.4%	2.0%	322	71.4%	2.5%	791	46.7%	2.5%	1,102	32.4%	2.7%
Age at Tx												
<1 Year	53	79.2%	5.6%	53	64.2%	6.6%	118	44.4%	5.7%	155	+	+
1-5 Years	89	84.3%	3.9%	89	68.5%	4.9%	247	49.0%	4.1%	364	39.3%	3.5%
6-11 Years	21	81.0%	8.6%	21	66.7%	10.3%	56	28.4%	9.1%	90	35.9%	7.2%
12-17 Years	13	84.6%	10.0%	13	76.9%	11.7%	40	54.8%	12.2%	58	40.2%	10.1%
18-34 Years	61	88.5%	4.1%	61	77.0%	5.4%	117	51.5%	6.7%	160	38.2%	6.0%
35-49 Years	46	89.1%	4.6%	46	71.6%	6.7%	128	51.3%	5.8%	178	0.0%	0.0%
50-64 Years	36	88.9%	5.2%	36	77.8%	6.9%	79	34.4%	8.9%	91	+	+
65+ Years	3	100.0%	0.0%	3	100.0%	0.0%	6	66.7%	19.2%	6	+	+
Recipient Ethnicity/Race												
White	218	85.8%	2.4%	218	72.9%	3.0%	553	46.0%	3.0%	765	32.2%	3.2%
African American	48	87.5%	4.8%	48	72.9%	6.4%	108	43.6%	6.2%	154	28.7%	5.5%
Hispanic/Latino	46	82.6%	5.6%	46	65.2%	7.0%	106	55.5%	6.0%	152	35.7%	11.0%
Asian	4	100.0%	0.0%	4	75.0%	21.7%	14	+	+	20	+	+
Other/Multi-race	6	66.7%	19.2%	6	50.0%	20.4%	10	+	+	11	+	+
Recipient Gender												
Female	177	84.7%	2.7%	177	71.2%	3.4%	408	48.3%	3.4%	542	28.6%	4.2%
Male	145	86.2%	2.9%	145	71.7%	3.7%	383	45.2%	3.5%	560	36.3%	3.1%
Recipient Blood Type												
O	153	86.3%	2.8%	153	73.2%	3.6%	359	51.0%	3.8%	505	38.3%	3.2%
A	109	83.5%	3.6%	109	68.7%	4.4%	290	41.8%	3.9%	417	32.0%	3.9%
B	44	86.4%	5.2%	44	70.5%	6.9%	103	44.8%	6.4%	127	21.8%	8.7%
AB	16	87.5%	8.3%	16	75.0%	10.8%	39	52.8%	8.9%	53	+	+
Previous Intestine Tx												
No	294	85.7%	2.0%	294	71.7%	2.6%	732	48.5%	2.5%	1,011	33.2%	2.9%
Yes	28	82.1%	7.2%	28	67.9%	8.8%	59	+	+	91	24.2%	6.3%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.10 (Continued)
Unadjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	322	85.4%	2.0%	322	71.4%	2.5%	791	46.7%	2.5%	1,102	32.4%	2.7%
Recipient Residency												
U.S. Resident	310	85.5%	2.0%	310	71.6%	2.6%	763	46.8%	2.5%	1,045	32.7%	2.9%
Nonresident Alien	12	83.3%	10.8%	12	66.7%	13.6%	27	+	+	46	28.6%	9.6%
Unknown	0	-	-	0	-	-	1	+	+	11	12.1%	11.0%
Hospitalized at Tx												
Not Hospitalized	214	87.4%	2.3%	214	73.8%	3.0%	519	49.0%	3.0%	681	34.2%	4.3%
Hospitalized	75	82.7%	4.4%	75	72.0%	5.2%	177	46.6%	5.5%	251	25.4%	6.0%
In Intensive Care	33	78.8%	7.1%	33	54.5%	8.7%	95	35.1%	6.3%	158	24.3%	4.7%
Unknown	0	-	-	0	-	-	0	-	-	12	50.0%	14.4%
Life Support at Tx												
No	316	86.1%	1.9%	316	72.1%	2.5%	764	47.4%	2.5%	1,036	32.0%	3.2%
Yes	6	50.0%	20.4%	6	33.3%	19.2%	27	20.8%	8.0%	54	14.6%	5.2%
Unknown	0	-	-	0	-	-	0	-	-	12	50.0%	14.4%
Primary Diagnosis												
Short Gut Syndrome	225	84.0%	2.4%	225	70.7%	3.0%	578	46.1%	2.8%	807	33.0%	3.1%
Functional Bowel Problem	63	88.9%	4.0%	63	73.0%	5.6%	145	46.1%	5.7%	206	28.7%	5.9%
Other	34	88.2%	5.5%	34	73.4%	7.6%	67	55.2%	8.0%	87	39.3%	10.4%
Unknown	0	-	-	0	-	-	1	+	+	2	+	+

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.10 (Continued)
Unadjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	322	85.4%	2.0%	322	71.4%	2.5%	791	46.7%	2.5%	1,102	32.4%	2.7%
Cold Ischemic Time												
0-5 Hours	46	87.0%	5.0%	46	71.7%	6.7%	91	43.9%	7.7%	110	+	+
6-10 Hours	208	86.1%	2.4%	208	72.1%	3.1%	581	47.0%	2.8%	767	30.5%	4.2%
11-15 Hours	7	57.1%	18.7%	7	57.1%	18.7%	30	44.8%	10.9%	69	29.3%	7.3%
16-20 Hours	0	-	-	0	-	-	1	+	+	8	+	+
21+ Hours	1	100.0%	0.0%	1	0.0%	0.0%	1	0.0%	0.0%	3	0.0%	0.0%
Unknown	60	85.0%	4.6%	60	71.7%	5.8%	87	55.8%	6.7%	145	37.1%	5.6%
Yearly Center Volume												
0-1	8	75.0%	15.3%	8	37.5%	17.1%	54	42.7%	8.5%	101	6.6%	5.7%
2-7	54	75.9%	5.8%	54	61.0%	6.7%	116	54.3%	5.6%	253	41.0%	6.4%
8+	260	87.7%	2.0%	260	74.6%	2.7%	621	47.4%	2.7%	748	35.3%	2.7%
Donor Age												
<1 Year	77	85.7%	4.0%	77	74.0%	5.0%	205	53.0%	4.1%	279	41.4%	3.8%
1-5 Years	83	80.7%	4.3%	83	61.4%	5.3%	201	36.4%	5.0%	303	29.8%	4.2%
6-11 Years	23	82.6%	7.9%	23	69.6%	9.6%	72	60.8%	7.1%	118	+	+
12-17 Years	54	83.3%	5.1%	54	68.5%	6.3%	105	41.2%	7.2%	132	28.3%	6.7%
18-34 Years	64	92.2%	3.4%	64	82.8%	4.7%	154	46.9%	6.5%	198	31.6%	7.3%
35-49 Years	19	89.5%	7.0%	19	73.7%	10.1%	44	46.9%	8.6%	61	37.8%	9.3%
50-64 Years	2	100.0%	0.0%	2	100.0%	0.0%	9	55.6%	16.6%	10	+	+
65+ Years	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.10 (Continued)
Unadjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	322	85.4%	2.0%	322	71.4%	2.5%	791	46.7%	2.5%	1,102	32.4%	2.7%
Transplant Center State												
ALABAMA	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
CALIFORNIA	35	77.1%	7.1%	35	68.6%	7.8%	81	59.2%	5.9%	100	37.7%	11.7%
FLORIDA	51	82.4%	5.3%	51	68.6%	6.5%	156	37.5%	4.8%	227	29.4%	4.0%
IOWA	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
ILLINOIS	12	75.0%	12.5%	12	58.3%	14.2%	15	+	+	21	0.0%	0.0%
INDIANA	26	76.9%	8.3%	26	69.2%	9.1%	32	+	+	32	+	+
LOUISIANA	1	100.0%	0.0%	1	100.0%	0.0%	1	0.0%	0.0%	1	0.0%	0.0%
MASSACHUSETTS	5	80.0%	17.9%	5	80.0%	17.9%	6	+	+	6	+	+
MARYLAND	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
MINNESOTA	2	50.0%	35.4%	2	0.0%	0.0%	3	0.0%	0.0%	11	0.0%	0.0%
MISSOURI	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
NEBRASKA	49	91.8%	3.9%	49	77.6%	6.0%	118	46.4%	6.9%	198	38.3%	4.6%
NEW YORK	16	81.3%	9.8%	16	55.0%	12.7%	61	43.6%	7.3%	92	+	+
OHIO	8	37.5%	17.1%	8	25.0%	15.3%	15	+	+	15	+	+
OKLAHOMA	0	-	-	0	-	-	1	0.0%	0.0%	2	0.0%	0.0%
PENNSYLVANIA	83	95.2%	2.4%	83	80.7%	4.3%	243	51.6%	4.9%	323	37.3%	4.8%
SOUTH CAROLINA	2	100.0%	0.0%	2	0.0%	0.0%	4	25.0%	21.7%	8	+	+
TEXAS	2	100.0%	0.0%	2	100.0%	0.0%	2	+	+	4	+	+
WISCONSIN	0	-	-	0	-	-	10	30.0%	14.5%	14	21.4%	12.6%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.